

Mantovano et al., 2018. An analysis of publications on *Daphnia lumholtzi* in freshwater ecosystems. Limnetica 37 (2): 199-208 (2018)

Supplementary information

List of references used

- ACHARYA, K, J. D. JACK. & A. S. SMITH. 2006. Stoichiometry of *Daphnia lumholtzi* and their invasion success: Are they linked? *Archiv fur Hydrobiologie*, 165: 433-453, <https://doi.org/10.1127/0003-9136/2006/0165-0433>.
- BENZIE, J. A. H. 1986. Phylogenetic relationships within the genus *Daphnia* (Cladocera: Daphniidae) in Australia, determined by electrophoretically detectable protein variation. *Marine and Freshwater Research*, 2: 251 – 260, <https://doi.org/10.1071/MF9860251>.
- BENZIE, J. A. H. 1987. The biogeography of australian daphnia: clues of an ancient (>70 m.y.) Origin for the genus. *Hydrobiologia*, 145: 51-65, <https://doi.org/10.1007/BF02530265>.
- BENZIE, J. A. H. 1988. The systematics of Australian *Daphnia* (Cladocera: Daphniidae). Multivariate morphometrics. *Hydrobiologia*, 166: 95-161, <https://doi.org/10.1007/BF00028633>.
- BENZIE, J. A. H. 1988. The systematics of Australian *Daphnia* (Cladocera: Daphniidae), Species descriptions and keys. *Hydrobiologia*, 166: 95-161, <https://doi.org/10.1007/BF00028632>.
- BUI, T. L., L. C. DO-HONG, T. DAO. & T. C. HOANG. 2016. Copper toxicity and the influence of water quality of Dongnai River and Mekong River waters on copper bioavailability and toxicity to three tropical species. *Chemosphere*, 144: 872-878, <https://doi.org/10.1016/j.chemosphere.2015.09.058>.
- BURDIS, R. M. & J. K. HIRSCH. 2005. Establishment of a viable population of *Daphnia lumholtzi* in Lake Pepin, Upper Mississippi River. *Journal of Freshwater Ecology*, 1: 2005-207, <https://doi.org/10.1080/02705060.2005.9664956>.
- BURNS, C. W. 2000. Crowding-induced changes in growth, reproduction and morphology of *Daphnia*. *Freshwater Biology*, 1: 19-29, <https://doi.org/10.1046/j.1365-2427.2000.00510.x>.
- ÇELIK, K, J. E. SCHINDLER, W. J. FORIS. & J. C. KNIGHT. 2002. Predator-mediated coexistence of exotic and native crustaceans in a freshwater lake? *Biological Invasions*, 4: 451–454, <https://doi.org/10.1023/A:102365901>.
- DAVIDSON-JR, N. L, L. E. KELSO, & D. A. RUTHERFORD. 2000. Characteristics of cladoceran and copepod communities in floodplain habitats of the Atchafalaya River Basin. *Hydrobiologia*, 1-3: 99–107, <https://doi.org/10.1023/A:1004064806352>.

- DAVIDSON-JR, N. L, W. E. KELSO. & A. RUTHERFORD. 1988. Relationships between environmental variables and the abundance of cladocerans and copepods in the Atchafalaya River Basin. *Hydrobiologia*, 379: 175–181, <https://doi.org/10.1023/A:10034883>.
- DAVIDSON-JR, N.L. & W. E KELSON. 1993. The exotic daphnid, *Daphnia lumholtzi*, in a Louisiana river-swamp. *Journal of Freshwater Ecology*, 3: 431-435, [10.1080/02705060.1997.9663553](https://doi.org/10.1080/02705060.1997.9663553).
- DEVRIES, D. R, R. A. WRIGHT. & T. S. DEVRIES. 2006. *Daphnia lumholtzi* in the Mobile River Drainage, USA: Invasion of a habitat that experiences salinity. *Journal of Freshwater Ecology*, 3: 527-530, <https://doi.org/10.1080/02705060.2006.9665031>.
- DZIAŁOWSKA, A. R. 2010. Experimental effect of consumer identity on the invasion success of a non-native cladoceran. *Hydrobiologia*, 1: 139–148, <https://doi.org/10.1007/s10750-010-0326-4>.
- DZIAŁOWSKI, A. R, J. T. LENNON, W. J. O'BRIEN. & V. H. SMITH. 2003. Predator-induced phenotypic plasticity in the exotic cladoceran *Daphnia lumholtzi*. *Freshwater Biology*, 48: 1593–1602, <https://doi.org/10.1046/j.1365-2427.2003.01111.x>.
- DZIAŁOWSKI, A. R, W. J. O'BRIEN. & S. M. SWAFFAR. 2000. Range expansion and potential dispersal mechanisms of the exotic cladoceran *Daphnia lumholtzi*. *Journal of Plankton Research*, 12: 2205–2223, <https://doi.org/10.1093/plankt/22.12.2205>.
- EAST, T. L, K. A. HAVENS, A. J. RODUSKY. & J. BRADY. 1999. *Daphnia lumholtzi* and *Daphnia ambigua*: population comparisons of an exotic and a native cladoceran in Lake Okeechobee, Florida. *Journal of Plankton Research*, 8: 1537–1551, <https://doi.org/10.1093/plankt/21.8.1537>.
- EFFERT, E. L. & C. L. PEDERSON. 1996. Failure of cyclomorphic features to deter size-dependent predation by *Leptodora kindti* on *Daphnia lumholtzi*. *Journal of Freshwater Ecology*, 3: 457-466, <https://doi.org/10.1080/02705060.2006.9665023>.
- ELHIGZI, F. A. Z, S. A. HAIDER & P. LARSSON. 1995. Interactions between nile tilapia (*Oreochromis-Niloticus*) and cladocerans in ponds (Khartoum, Sudan). *Hydrobiologia*, 1-3: 263–272, <https://doi.org/10.1007/BF00032020>.
- ENGEL, K. & R. TOLLRIAN. 2009. Inducible defences as key adaptations for the successful invasion of *Daphnia lumholtzi* in North America? *Proceedings of the Royal Society*, 276: 1865–1873, <https://doi.org/10.1098/rspb.2008.1861>.
- ENGEL, K.& R. TOLLRIAN. 2012. Competitive ability, thermal tolerance and invasion success in exotic *Daphnia lumholtzi*. *Journal of Plankton Research*, 1: 92–97, <https://doi.org/10.1093/plankt/fbr083>.
- FENIOVA, I. Y, PALASH, A. L. & S. V. BUDAEV. 2010: Effects of food abundance and biotic relations on the success of introduction of small and large cladocerans in experimental conditions. *Zoologicheskii Zhurnal*, 4: 416-423, 74.583:574.34.

FEY, S. B. & C. M. HERREN. 2014. Temperature-mediated biotic interactions influence enemy release of nonnative species in warming environments. *Ecology*, 8:2246-2256, <https://doi.org/10.1890/13-1799.1>.

FEY, S. B. & K. L. COTTINGHAM. 2011. Linking biotic interactions and climate change to the success of exotic *Daphnia lumholtzi*. *Freshwater Biology*, 11: 2196-2209, <https://doi.org/10.1111/j.1365-2427.2011.02646.x>.

FEY, S. B. & K. L. COTTINGHAM. 2012. Thermal sensitivity predicts the establishment success of nonnative species in a mesocosm warming experiment. *Ecology*, 11: 2313-2320, <https://doi.org/10.1890/12-0609.1>.

FRISCH, D, J. E. HAVEL. & WEIDER, L. J. 2013. The invasion history of the exotic freshwater zooplankter *Daphnia lumholtzi* (Cladocera, Crustacea) in North America: a genetic analysis. *Biological Invasions*, 15:817–828, <https://doi.org/10.1007/s10530-012-0329-3>.

FRISCH, D. & L. J. WEIDER. 1990. Seasonal shifts in genotype frequencies in the invasive cladoceran *Daphnia lumholtzi* in Lake Texoma, U.S.A. *Freshwater Biology*, 6: 1327-1336, <https://doi.org/10.1111/j.1365-2427.2009.02356.x>.

GARCIA, R, F. MOSS, AI NIHONGI, J. R. STRICKLER, S. GÖLLER, U. ERDMANN, L. SCHIMANSKY-GEIER. & I. M. SOKOLOV. 2007. Optimal foraging by zooplankton within patches: The case of daphnia. *Mathematical Bioscience*, 2: 165-188, <https://doi.org/10.1016/j.mbs.2006.11.014>.

GEDDES, M. C. 1984. Seasonal studies on the zooplankton community of Lake Alexandrina, River Murray, South Australia, and the role of turbidity in determining zooplankton community structure. *Australian journal of marine and freshwater research*, 35, 417–26, <https://doi.org/10.1071/MF9840417>.

GONZÁLEZ, A. L, J. S. KOMINOSKI, M. DANGER, S. ISHIDA, N. IWAI. & A RUBACH. 2010. Can ecological stoichiometry help explain patterns of biological invasions? *OIKOS*. 5: 779–790, <https://doi.org/10.1111/j.1600-0706.2009.18549.x>.

GOPHEN, M. 1979. Extinction of *Daphnia Lumholtzi* (Sars) In Lake Kinneret (Israel). *Aquaculture*, 1: 67-71, [https://doi.org/10.1016/0044-8486\(79\)90173-x](https://doi.org/10.1016/0044-8486(79)90173-x).

HALDER, P. M, P. K. JANA, S. K. CHAKRABORTY. & S. BANERJEE. 2013. Relative tolerance of some tropical freshwater microcrustaceans to acidification. *Turkish Journal of Zoology*, 37: 228-237, <https://doi.org/10.3906/zoo-1204-36>.

HAVEL, J. E. & P. D. N. HEBERT. 1993. *Daphnia lumholtzi* in North America: another exotic zooplankter. *Limnology and Oceanography*, 38: 1823-1827, <https://doi.org/10.4319/lo.1993.38.8.1823>.

HAVEL, J. E, J. K. COLBOURNE. & P. D. N. HEBERT. 2000. Reconstructing the history of intercontinental dispersal in *Daphnia lumholtzi* by use of genetic markers. *Limnology and Oceanography*, 45: 1414–1419, <https://doi.org/10.4319/lo.2000.45.6.1414>.

HAVEL, J. E. & J. STELZLENI-SCHWENT. 2000. Zooplankton community structure: the role of dispersal. *Verhandlungen des Internationalen Verein Limnologie*, 27, 3264-3268, <https://doi.org/10.1080/03680770.1998.11898285>.

HAVEL, J. E, J. B. SHURIN. & J. R. JONES. 2002. Estimating dispersal from patterns of spread: Spatial and local control of lake invasions. *Ecology*, 12: 3306–3318, <https://doi.org/10.2307/3072081>.

HAVEL, J. E, J. B. SHURIN. & J. R. JONES. 2005. Environmental limits to a rapidly spreading exotic cladoceran. *Ecoscience*, 3: 376-385, <https://doi.org/10.2980/i1195-6860-12-3-376.1>.

HAVEL, J. E. & K. A. MEDLEY. 2006. Biological invasions across spatial scales: intercontinental, regional, and local dispersal of cladoceran zooplankton. *Biological Invasions*. 3: 459–473, <https://doi.org/10.1080/02705060.2004.9664750>.

HAVEL, J. E. & W. LAMPERT. 2006. Habitat partitioning of native and exotic Daphnia in gradients of temperature and food: mesocosm experiments. *Freshwater Biology*, 3: 487-498, <https://doi.org/10.1111/j.1365-2427.2006.01511.x>.

HAVEL, J. E. & J. L. GRAHAM. 2006. Complementary population dynamics of exotic and native Daphnia in North American reservoir communities. *Archiv fur Hydrobiologie*, 1-4: 245-264, <https://doi.org/10.1127/0003-9136/2006/0167-0245>.

HAVEL, J. E, W. E. MABEE. & J. R. JONES. 2012. Invasion of the exotic cladoceran *Daphnia lumholtzi* into North American reservoirs. *Canadian Journal of Fisheries and Aquatic Sciences*, 1:151-160, <https://doi.org/10.1139/f95-015>.

HAVENS, K E, T. L. EAST, J. MARCUS, P. ESSEX, B. BOLAN, S. RAYMOND. & J. R. BEAVER. 2000. Dynamics of the exotic *Daphnia lumholtzi* and native macro-zooplankton in a subtropical chain-of-lakes in Florida, U.S.A. *Freshwater Biology*, 2: 21–32, <https://doi.org/10.1046/j.1365-2427.2000.00614.x>.

HAVENS K. E, J. R. BEAVER, T. L. EAST, K. WORK, E. J. PHLIPS, M. F. CICHRA, A. C. CROTEAU, A. J. RODUSKY, R. S. & FULTON. T. C ROSATI. 2011. The outcome of the invasion of Florida lakes by *Daphnia lumholtzi*. *Freshwater Biology*, 57: 552–562, <https://doi.org/10.1111/j.1365-2427.2011.02723.x>.

HAVENS, K. E. & J. R. BEAVER. 2012. Predicting impacts of an invading copepod by ecological assessment in the animal's native range. *Inland Waters*, 4: 49-56, <https://doi.org/10.5268/IW-4.1.632>.

HISKEY, R. M. 1996. The occurrence of the exotic *Daphnia lumholtzi* in Grand Lake St Marys, Ohio. *The Ohio journal of science*, 96: 100-101, ISSN. 0030-0950.

JOHN A. & H. BENZIE. 1986. Phenetic and cladistic analyses of the phylogenetic relationships within the genus *Daphnia* worldwide. *Hydrobiologia*, 140: 105 –124, <https://doi.org/10.1007/BF00007564>.

- JOHNSON, J. L & J. E. HAVEL. 2001. Competition Between Native and Exotic Daphnia: In situ Experiments. *Journal of Plankton Research*, 4: 373–387, <https://doi.org/10.1093/plankt/23.4.373>.
- JONNA, R. & J. T. LEHMAN. 2002. Invasion of Lake Victoria by the large bodied herbivorous cladoceran *Daphnia Magna*. *The East African Great Lakes: Limnology, Palaeolimnology and Biodiversity*, 12: 321-333, https://doi.org/10.1007/0-306-48201-0_12.
- KELSO, W. E, D. A. RUTHERFORD. & N. L. DAVIDSON JR. 2003. Diel vertical migration of cladocerans and copepods in the Atchafalaya River Basin floodplain. *Journal of Freshwater Ecology*, 2: 259-268, <https://doi.org/10.1080/02705060.2003.9664492>.
- KING, C. R. & J. G. GREENWOOD. 1991. The productivity and carbon budget of a natural population of *Daphnia lumholtzi* Sars. *Hydrobiologia*, 231: 197-207, <https://doi.org/10.1007/BF00018203>.
- KOLAR, C. S, J. C. BOASE, D. F. CLAPP. & D. H. WAHL. 1997. Potential effect of invasion by an exotic zooplankter, *Daphnia lumholtzi*. *Journal of Freshwater Ecology*, 10: 521-530, <https://doi.org/10.1080/02705060.1997.9663566>.
- KOLAR, C. S. & D. H. WAHL. 1998. Daphnid morphology deters fish predators. *Oecologia*, 4: 556-564, <https://doi.org/10.1007/s004420050>.
- KOTOV, A. A. & D. J. TAYLOR. 2014. *Daphnia lumholtzi* Sars, 1885 (Cladocera: Daphniidae) invades Argentina. *Journal of Limnology*, 3: 369-374, <https://doi.org/10.4081/jlimnol.2014.920>.
- KOTOV, A. A. & G. SAUTTER. 2016. Revision of the Old World Daphnia (Ctenodaphnia) similis group (Cladocera: Daphniidae). *Zootaxa*, 1: 0-40, <https://doi.org/10.11646/zootaxa.4161.1.1>.
- KRUPPERT, S, M. HORSTMANN, L. C. WEISS, C. F. SCHABER, S. N. GORB & R. TOLLRIAN. 2016. Push or Pull? The light-weight architecture of the *Daphnia pulex* carapace is adapted to withstand tension, not compression. *Journal of Morphology*, 10: 1320–1328, <https://doi.org/10.1002/jmor.20577>.
- LAFORSCH, C, L. BECCARA. & R. TOLLRIAN. 2006. Inducible defenses: The relevance of chemical alarm cues in Daphnia. *Limnology and Oceanography*, 3: 1466–1472, <https://doi.org/10.4319/lo.2006.51.3.1466>.
- LEMKE, A. M, J. A. STOECKEL. & M. A PEGG. 2003. Utilization of the exotic cladoceran *Daphnia lumholtzi* by juvenile fishes in an Illinois River floodplain lake. *Journal of Fish Biology*, 4: 938–954, <https://doi.org/10.1046/j.1095-8649.2003.00090.x>.
- LENNON, J. T, V. H. SMITH. & K. WILLIAMS. 2001. Influence of temperature on exotic *Daphnia lumholtzi* and implications for invasion success. *Journal of Plankton Research*, 4: 425–433, <https://doi.org/10.1093/plankt/23.4.425>.
- LENNON, J. T, SMITH, V. H. & A. R. DZIAŁOWSKI. 2003. Invasibility of plankton food webs along a trophic state gradient. *Oikos*, 103: 191–203, <https://doi.org/10.1034/j.1600-0706.2003.12260.x>.

- LIENESCH, P. W. & M. GOPHEN. 2001. Predation by inland silversides on an exotic cladoceran, *Daphnia lumholtzi*, in Lake Texoma. *Journal of Fish Biology*, 5: 1249–1257, <https://doi.org/10.1111/j.1095-8649.2001.tb00189.x>.
- LIENESCH, P. W. & M. GOPHEN. 2005. Size-selective predation by inland silversides on an exotic Cladoceran, *Daphnia lumholtzi*. *The Southwestern Naturalist*, 2: 158-165, <https://doi.org/10.1894/0038-4909>.
- MAGADZA, C. H. D. 1994. Evaluation of eutrophication control in Lake Chivero, Zimbabwe, by multivariate-analysis of zooplankton. *Hydrobiologia*, 272: 277-292, <https://doi.org/10.1007/BF00006528>.
- MAIN, M. T, D. R. DOBBERTUHL. & J. J. ELSER. 1997. N:P stoichiometry and ontogeny of crustacean zooplankton: A test of the growth rate hypothesis. *Limnology and Oceanography*, 6: 1474–1478, <https://doi.org/10.4319/lo.1997.42.6.1474>.
- MAIPHA, S, P. PHOLPUNTHIM. & H. J. DUMONT. 2008. Taxon richness and biogeography of the Cladocera (Crustacea: Ctenopoda, Anomopoda) of Thailand. *Annales de Limnologie*, 1: 33-43, <http://dx.doi.org/10.1051/limn:200802>.
- MANDIMA, J. J. 2000. Spatial and temporal variations in the food of the sardine *Limnothrissa miodon* (Boulenger, 1906) in Lake Kariba, Zimbabwe. *Fisheries Research*, 2: 197-203, [https://doi.org/10.1016/S0165-7836\(00\)00161-2](https://doi.org/10.1016/S0165-7836(00)00161-2).
- MANGALO, H. H. & M. M. AKBAR. 1988. Correlations between physico – chemical factors and population density of cladocerans in the Tigris and Diyala Rivers at Baghdad – Iraq. *Journal of Environmental Science and Health*, 7:627-643, <https://doi.org/10.1080/10934528809375440>.
- MATVEEV, V. 1993. An investigation of allelopathic effects of *Daphnia*. *Freshwater Biology*, 1: 99-105, <https://doi.org/10.1111/j.1365-2427.1993.tb00748.x>.
- MERGEAY, J, D. VERSCHUREN, L. V. KERCKHOVEN. & L. MEESTER. 2004. Two hundred years of a diverse *Daphnia* community in Lake Naivasha (Kenya): effects of natural and human-induced environmental changes. *Freshwater Biology*, 49:998–1013, <https://doi.org/10.1111/j.1365-2427.2004.01244.x>.
- MERGEAY, J, D. VERSCHUREN. & L. D. MEESTER. 2005. *Daphnia* species diversity in Kenya, and a key to the identification of their ephippia. *Hydrobiologia*, 1: 261–274, <https://doi.org/10.1007/s10750-004-4952-6>.
- METZKE, B. A. & C. L. PEDERSON 2012. Cladoceran Community Dynamics Reflect Temperature Gradients in a Cooling Water Reservoir. *The American Midland Naturalist*, 67: 344–355, <https://doi.org/10.1674/0003-0031-167.2.344>.
- MISHRA, S. A. & D. N. SAKSENA. 1990. Seasonal abundance of the zooplankton of waste water from the industrial complex at Birla Nagar (Gwalior), India. *CLEAN–Soil, Air, Water*, 2: 215–220, <https://doi.org/10.1002/aheh.19900180208>.

- MITRA, G, P. K. MUKHOPADHYAY. & S, AYYAPPAN. 2007. Biochemical composition of zooplankton community grown in freshwater earthen ponds: Nutritional implication in nursery rearing of fish larvae and early juveniles. *Aquaculture*, 1-4:346-360, <https://doi.org/10.1016/j.aquaculture.2007.08.026>.
- MUZINIC, C. J. 2000. First record of *Daphnia lumholzii* Sars in the Great Lakes. *Journal of Great Lakes Research*, 3: 352-354, [https://doi.org/10.1016/S0380-1330\(00\)70698-8](https://doi.org/10.1016/S0380-1330(00)70698-8).
- PATTINSON, K. R, J. E. HAVEL. & R. G. RHODES. 2003. Invasibility of a reservoir to exotic *Daphnia lumholzii*: experimental assessment of diet selection and life history responses to cyanobacteria. *Freshwater Biology*, 48: 233–246, <https://doi.org/10.1046/j.1365-2427.2003.00987.x>.
- PIETRZA, B, J. PIJANOWSKA. & P. DAWIDOWICZ. 2015. The effect of temperature and kairomone on daphnia escape ability: a simple bioassay. *Hydrobiologia*, 798: 15–23, <https://doi.org/10.1007/s1075>.
- PILATI, A, A.W. WURTSBAUGH. & N. R. BRINDZA. 2004. Evidence of coprophagy in freshwater zooplankton. *Freshwater Biology*, 7: 913–918, <https://doi.org/10.1111/j.1365-2427.2004.01234.x>.
- SALLENAVE, R. M, J. ALLEMAN, J. PADILLA. & C. COWLEY. 2005. First record of *Daphnia lumholzii* (Sars) in the Rio Grande Basin, New Mexico. *Journal of Freshwater Ecology*, 4: 775-776, <https://doi.org/10.1080/02705060.2005.9664803>.
- SCHULZE, P. C, J. H. GILLESPIE, J. R. WOMBLE. & A. F. SILEN. 2006. The effect of suspended sediments on Lake Texoma daphnia: field distributions and in situ incubations. *Freshwater Biology*, 51: 1447 – 1457, <https://doi.org/10.1111/j.1365-2427.2006.01579.x>.
- SCHULZE, P. C. 2010. Evidence that fish structure the zooplankton communities of turbid lakes and reservoirs. *Freshwater Biology*, 2: 352–365, <https://doi.org/10.1111/j.1365-2427.2010.02503.x>.
- SEARLE, C. L, M. H. CORTEZ, K. K. HUNSMERGER, G. C. GRIPPI, O. A. OLEKSY, C. L. SHAW, S. B. SERNA, C. L. LASH, K. L. DHIR. & M. A. DUFFY. 2016. Population density, not host competence, drives patterns of disease in an invaded community. *The American Naturalist*, 5: 554-566, <http://dx.doi.org/10.5061/dryad.cc630>.
- SEMYALO, R, T. ROHRLACK. & P. LARSSON. 2009. Growth and survival responses of a tropical *Daphnia* (*Daphnia lumholzii*) to cell-bound microcystins. *Journal of Plankton Research*, 8: 827–835, <https://doi.org/10.1093/plankt/fbp032>.
- SIMÕES, N. R, B. A. ROBERTSON, F. A. LANSAC-TÔHA, E. M. TAKAHASHI, C. C BONECKER, L. F. M. VELHO. & C. Y. JOKO. 2009. Exotic species of zooplankton in the Upper Paraná River floodplain, *Daphnia lumholzii* Sars, 1885 (Crustacea: Branchiopoda). *Brazilian Journal of Biology*, 2: 551-558, <https://doi.org/10.1590/S1519-69842009000300010>.

- SMITH, A. S., K. ACHARYA. & J. JACK. 2008. Overcrowding, food and phosphorus limitation effects on ephippia production and population dynamics in the invasive species *Daphnia lumholtzi*. *Hydrobiologia*, 618:47–56, <https://doi.org/10.1007/s10750-008-9546-2>.
- SMITH, A. S. & J. E. ALEXANDER-JR. 2008. Potential effects of the freshwater jellyfish *Craspedacusta sowerbii* on zooplankton community abundance. *Journal of Plankton Research*, 12: 1323–1327, <https://doi.org/10.1093/plankt/fbn093>.
- SOEKEN-GITTINGER, L. A., J. STOECKEL. & J. E. HAVEL. 2008. Differing effects of suspended sediments on the performance of native and exotic Daphnia. *Freshwater Biology*, 3: 495–504, <https://doi.org/10.1111/j.1365-2427.2008.02126.x>.
- SORENSEN, K. H. & R. W. STERNER. 1992. Extreme cyclomorphosis in *Daphnia-Lumholtzi*. *Freshwater Biology*, 28: 257-262, <https://doi.org/10.1111/j.1365-2427.1992.tb00582.x>.
- STOECKEL, J. A., L. CAMLIN, K. D. BLODGETT. & R. E. SPARKS. 1996. Establishment of *Daphnia lumholtzi* (an Exotic Zooplankter) in the Illinois River. *Journal of Freshwater Ecology*, 3: 377-379, <https://doi.org/10.1080/02705060.1996.9664461>.
- STRONGIN, K., C. M. TAYLOR, M. E. ROBERTS, W. H. NEILL. & F. GELWICK. 2011. Food habits and dietary overlap of two silversides in the Tennessee-Tombigbee Waterway: the invasive *Menidia audens* versus the native *Labidesthes sicculus*. *The American Midland Naturalist*, 1: 224-233, <https://doi.org/10.1674/0003-0031-166.1.224>.
- SUN, L., M. L. LEYBOURNE, C. F. W. RISSMANN. & T. BRIKOWSKI. 2016. Geochemistry of a large impoundment - Part II: Fe and Mn cycling and metal transport. *Geochemistry*, 2: 165-177, <https://doi.org/10.1144/geochem2015-361>.
- SWAFFAR, S. M. & W. J O'BRIEN. 1996. Spatial distribution and seasonal dynamics of plankton in a terminal multiple-series reservoir. *Journal of Plankton Research*, 6: 1055–1061, <https://doi.org/10.1080/07438140409354097>.
- SWAR, D. B. & C. H. FERNANDO. 1978. Seasonality and fecundity of *Daphnia lumholtzi* Sars in Lake Phewa, Nepal. *Hydrobiologia*, 3: 261-268, <https://doi.org/10.1007/BF00020527>.
- TIFNOUTI, A., R. POURRIOT. & C. ROUGIER. 1993. The effect of temperature on the growth and reproduction of four species of planktonic Cladocera (Crustacea) reared with natural resources present. *Annales de Limnologie*, 1:3-13, <https://doi.org/00956737>.
- TIFNOUTI, A., CHERIFI, O. & A. CHIFAA. 1994. A study of the diet of five species of Cladocera in the reservoir Lalla Takerkoust (Morocco). *Annales de Limnologie*, 30: 285-296, [00.8080235](https://doi.org/10.8080235).
- TOLLRIAN, R. & C. LAFORSCH. 2004. Embryological aspects of inducible morphological defenses in daphnia. *Journal of Morphology*, 3: 701–707, <https://doi.org/10.1002/jmor.10270>.
- TOLLRIAN, R. 1994. Fish-kairomone induced morphological-changes in *Daphnia-Lumholtzi* (Sars). *Archiv für Hydrobiologie*, 1: 69-75, ISSN: 0003-9136.

- TREBITZ, A. S, C. W. WEST, J. C. HOFFMAN, J. L. KELLY, G. S. PETERSON. I. L. & GRIGOROVICH. 2010. Status of non-indigenous benthic invertebrates in the Duluth–Superior Harbor and the role of sampling methods in their detection. *Journal of Great Lakes Research*, 4: 747-756, <https://doi.org/10.1016/j.jglr.2010.09.003>.
- TUDORANCEA, C.; BOWEN, K. & J. GERLOFSMA. 2009. *Daphnia lumholtzi* Sars a new alien species in Lake St. Clair. *Journal of Great Lakes Research*, 2: 313-316, <https://doi.org/10.1016/j.jglr.2009.01.008>.
- VARDIA, H. K, P. S.RAO & V.S. DURVE. 1988. Effect of copper, cadmium and zinc on fish-food organisms, *Daphnia lumholtzi* and *Cypris subglobosa*. *Proceedings: Animal Sciences*, 2: 175–180, <https://doi.org/10.1007/BF03179945>.
- WANG, H, K. DUNNING, J. J. ELSEY. & Y. KUANG. 2009. Daphnia species invasion, competitive exclusion, and chaotic coexistence. *Discrete and Continuous Dynamical Systems-series B*, 2: 481-493, <https://doi.org/10.3934/dcdsb.2009.12.481>.
- WEST, D. C. & D. M. POST. 2016. Impacts of warming revealed by linking resource growth rates with consumer functional responses. *Journal of Animal Ecology*, 3: 671-80, <https://doi.org/10.1111/1365-2656.12491>.
- WHITTINGTON, D. & M. R. WALSH. 2015. Divergent phenotypic responses to predators and cyanobacteria in *Daphnia lumholtzi*. *Freshwater Biology*, 9: 1880–1889, <https://doi.org/10.1111/fwb.12618>.
- WILLIAMS, J. J. & C. L, PEDERSON. 2004. Diel vertical migration in *Daphnia Iumholtzi* (Sars). *Journal of Freshwater Ecology*, 2: 305-311, <https://doi.org/10.1080/02705060.2004.9664545>.
- WORK, K. & M. GOPHEN. 1999. Environmental variability and the population dynamics of the exotic *Daphnia lumholtzi* and native zooplankton in Lake Texoma, USA. *Hydrobiologia*, 0: 11–23, <https://doi.org/10.1023/A:1003742709605>.
- WORK, K. A. & M. GOPHEN. 1999. Factors which affect the abundance of an invasive cladoceran, *Daphnia lumholtzi*, in US reservoirs. *Freshwater Biology*, 1: 1-10, <https://doi.org/10.1046/j.1365-2427.1999.00449.x>.
- YURISTA, P. M, G. T. RICE & D. S. WHITE. 2001. Long-term establishment of *Daphnia lumholtzi* Sars in Kentucky Lake, USA. *Verhandlungen des Internationalen Verein Limnologie*, 5: 3102-3106, <https://doi.org/10.1080/03680770.1998.11898248>.
- YURISTA, P. M. 2004. Bioenergetics of a semi-tropical cladoceran, *Daphnia Iumholtzi*. *Journal of Freshwater Ecology*. 4: 681-694, <https://doi.org/10.1080/02705060.2004.9664750>.
- YURISTA, P. M. 2000. Cyclomorphosis in *Daphnia lumholtzi* induced by temperature. *Freshwater Biology*, 2: 207–213, <https://doi.org/10.1046/j.1365-2427.2000.00543.x>.
- ZANATA, L H, E. L. G. ESPÍNDOLA, O. ROCHA. & R. H. G. PEREIRA. 2008. Morphological anomalies in Cladocera (Branchiopoda) in a cascade of reservoirs in the middle and lower Tietê

River (São Paulo, Brazil). *Brazilian Journal of Biology*, 3: 681-682, <http://dx.doi.org/10.1590/S1519-69842008000300028>.

ZANATA, L. H, E. L. G. ESPÍNDOLA, O. ROCHA. & R. H. G. PEREIRA. 2003. First record of *Daphnia lumholtzi* (Sars, 1885), exotic cladoceran, in São Paulo State (Brazil). *Brazilian Journal of Biology*, 4:717-720, <https://doi.org/10.1590/S1519-69842003000400019>.